Author Index

Absi, J.	Tribological behaviour of carbon-fibre-reinforced SiC matrix composites	291–306
Addison, P. S.	Chaotic response of a short journal bearing	387–400
Akiyama, M.	A study of the mechanism of crack initiation on a mandrel bar for mandrel mill rolling in a seamless tube	179–187
Alanou, M. P.	Film thickness predictions for elastohydrodynamic elliptical contacts over a wide range of radius ratios with consideration of side starvation	63–78
Andersson, O.	Lubricant thermal conductivity and heat capacity under high pressure	337–342
Athre, K.	Comprehensive design methodology for an engine journal bearing	401–412
Bair, S.	On the concentrated contact as a viscometer	515–521
Barragan de Ling, FdM.	Film thickness predictions for elastohydrodynamic elliptical contacts over a wide range of radius ratios with consideration of side starvation	63–78
Batchelor, A. W.	Lubricated seizure of mild steel observed by X-ray imaging	359–374
Bercea, I.	Optimum initial axial compression due to preload in an arrangement of two tapered roller bearings. Part 1: analysis	125–133
Bercea, I.	Optimum initial axial compression due to preload in an arrangement of two tapered roller bearings. Part 2: application to the transfer shaft of an automobile automatic transaxle	135–146
Bhushan, B.	Studies of failure mechanisms for head–disk interface using *in situ* instrumentation	189–199
Bhushan, B.	Modelling of surfaces with a biomodal roughness distribution	459–470
Bhushan, B.	Failure analysis of laser-textured surfaces	471–483
Bhushan, B.	Effect of particulate contamination on the friction and wear of a magnetic head–rigid disk interface	493–505
Bhushan, B.	Lubrication studies of head–disk interfaces in a controlled environment. Part 1: effects of disk texture, lubricant thermal treatment and lubricant additive on the durability of the head–disk interface	535–546
Bhushan, B.	Lubrication studies of head–disk interfaces in a controlled environment. Part 2: degradation mechanisms of perfluoropolyether lubricants	547–560
Bhushan, B.	Analysis of stain formation and wear mechanisms in a linear tape drive	561–581
Biswas, S.	Comprehensive design methodology for an engine journal bearing	401–412
Brown, R. D.	Chaotic response of a short journal bearing	387–400
Carnell, G. D.	The operation of radial lip seals in contaminated environments and the significance of the test rig design	167–178
Cha, K. C.	Comparisons of contact of pressures of crowned rollers	147–156
Chandra, S.	Effect of particulate contamination on the friction and wear of a magnetic head–rigid disk interface	493–505
Chandrasekaran, M.	Lubricated seizure of mild steel observed by X-ray imaging	359–374
Chilamakuri, S.	Failure analysis of laser-textured surfaces	471–483
Choudhary, T. R.	Development of polytetrafluoroethylene composite lining for a hydrogenerator thrust pad application	375–385
Coy, R. C.	Improved fuel efficiency by lubricant design: a review	1–15
Cretu, S.	Optimum initial axial compression due to preload in an arrangement of two tapered roller bearings. Part 1: analysis	125–133
Cretu, S.	Optimum initial axial compression due to preload in an arrangement of two tapered roller bearings. Part 2: application to the transfer shaft of an automobile automatic transaxle	135–146
Deprez, P.	Friction study of carbon–silicon carbide couples	485–492
Drummond, G.	Chaotic response of a short journal bearing	387–400
Dumont, M. L.	Amplitude reduction of waviness in elastohydrodynamic lubrication using an Eyring fluid model	343–350
Dwyer-Joyce, R.	Wear debris and associated wear phenomena—fundamental research and practice	79–105
Dwyer-Joyce, R. S.	The effects of surface defects on the fatigue of water- and oil-lubricated contacts	611–626
Eriksson, E.	Lubricant properties for input to hydrodynamic and elastohydrodynamic lubrication analyses	17–27
Eriksson, P.	Grease passing through an elastohydrodynamic contact under pure rolling conditions	309–316
Eriksson, P.	Grease soap particles passing through an elastohydrodynamic contact under side slip conditions	317–325
Evans, H. P.	Film thickness predictions for elastohydrodynamic elliptical contacts over a wide range of radius ratios with consideration of side starvation	63–78
Feng, Z. C.	Stability analysis of a rigid rotor on tilting-pad journal bearings	243–251

© IMechE 2000

Fillon, M.	Influence of geometric parameters and operating conditions on the thermohydrodynamic behaviour of plain journal bearings	445–457
Fletcher, D. I.	Wear behaviour and surface form evolution of a novel titanium carbide implanted surface under lubricated conditions	597–610
Fournier, P.	Tribological behaviour of carbon-fibre-reinforced SiC matrix composites	291–306
Gaillot, D.	Friction study of carbon–silicon carbide couples	485–492
Gao, N.	The effects of surface defects on the fatigue of water- and oil-lubricated contacts	611–626
Gohar, R.	Prediction of oil-film thickness and shape in elliptical point contacts under combined rolling and sliding motion	427–437
Goodwin, M. J.	Experimental measurement of big-end bearing journal orbits	219–228
Gorkunov, E. S.	Magnetic and electron microscopy analysis of wear products of sliding tribo-conjugations	507–512
Gras, R.	The mixed phase of gearbox synchromesh operation	157–165
Greenwood, J. A.	Two-dimensional flow of a non-Newtonian lubricant	29–41
Greenwood, J. A.	Kinematics of transverse real roughness in elastohydrodynamically lubricated line contacts using Fourier analysis	523–534
Groves, C.	Experimental measurement of big-end bearing journal orbits	219–228
Guijosa, J. M. M.	Stability analysis of a rigid rotor on tilting-pad journal bearings	243–251
Hall, F. R.	The operation of radial lip seals in contaminated environments and the significance of the test rig design	167–178
Hampshire, J. M.	The operation of radial lip seals in contaminated environments and the significance of the test rig design	167–178
Hirani, H.	Comprehensive design methodology for an engine journal bearing	401–412
Höglund, E.	Lubricant properties for input to hydrodynamic and elastohydrodynamic lubrication analyses	17–27
Hooke, C. J.	The behaviour of low-amplitude surface roughness under line contacts: non-Newtonian fluids	253–265
Hooke, C. J.	Surface roughness attenuation in line and point contacts	439–444
Hori, H.	A study of the mechanism of crack initiation on a mandrel bar for mandrel mill rolling in a seamless tube	179–187
Horng, T. L.	Comparisons of contact of pressures of crowned rollers	147–156
Jacob, B.	Amplitude reduction of waviness in elastohydrodynamic lubrication using an Eyring fluid model	343–350
Jalali-Vahid, D.	Prediction of oil-film thickness and shape in elliptical point contacts under combined rolling and sliding motion	427–437
Jin, Z. M.	Elastohydrodynamic lubrication of a circular point contact for a compliant layered surface bonded to a rigid substrate. Part 1: theoretical formulation and numerical method	267–279
Jin, Z. M.	Elastohydrodynamic lubrication of a circular point contact for a compliant layered surface bonded to a rigid substrate. Part 2: numerical results	281–289
Jin, Z. M.	Prediction of oil-film thickness and shape in elliptical point contacts under combined rolling and sliding motion	427–437
Ju, S. H.	Comparisons of contact of pressures of crowned rollers	147–156
Kajdas, C.	Lubrication studies of head–disk interfaces in a controlled environment. Part 2: degradation mechanisms of perfluoropolyether lubricants	547–560
Kakoty, S. K.	Effect of fluid inertia on the dynamic coefficients and stability of journal bearings	229–242
Kaneta, M.	Effects of a thickener structure on grease elastohydrodynamic lubrication films	327–336
Kapoor, A.	Wear behaviour and surface form evolution of a novel titanium carbide implanted surface under lubricated conditions	597–610
Kattner, M.	Analysis of stain formation and wear mechanisms in a linear tape drive	561–581
Kharlamov, V. V.	Magnetic and electron microscopy analysis of wear products of sliding tribo-conjugations	507–512
Kogan, L. Kh.	Magnetic and electron microscopy analysis of wear products of sliding tribo-conjugations	507–512
Larsson, P. O.	Lubricant properties for input to hydrodynamic and elastohydrodynamic lubrication analyses	17–27
Larsson, R.	Lubricant properties for input to hydrodynamic and elastohydrodynamic lubrication analyses	17–27
Larsson, R.	Grease passing through an elastohydrodynamic contact under pure rolling conditions	309–316
Larsson, R.	Grease soap particles passing through an elastohydrodynamic contact under side slip conditions	
Larsson, R.	Lubricant thermal conductivity and heat capacity under high pressure	337–342
Loh, N. L.	Lubricated seizure of mild steel observed by X-ray imaging	359–374
Lubrecht, A. A.	Multigrid techniques: a fast and efficient method for the numerical simulation of elastohydrodynamic lubrication point contact problems	43–62
Lubrecht, A. A.	Transient elastohydrodynamic analysis of an overhead cam/tappet contact	415–425
Lubrecht, P. M.	Amplitude reduction of waviness in elastohydrodynamic lubrication using an Eyring fluid model	343–350
Majumdar, B. C.	Effect of fluid inertia in the dynamic coefficients and stability of journal bearings	229–242
Martin, M. J.	Film thickness predictions for elastohydrodynamic elliptical contacts over a wide range of radius ratios with consideration of side starvation	63–78

© IMechE 2000

Meozzi, M.	On the influence of kinematics in the performance of the pin–disc machine	201–217
Messé, S.	Transient elastohydrodynamic analysis of an overhead cam/tappet contact	415–425
Morales-Espejel, G. E.	Kinematics of transverse real roughness in elastohydrodynamically lubricated line contacts using Fourier analysis	523–534
Naka, M.	Effects of a thickener structure on grease elastohydrodynamic lubrication films	327–336
Nakajima, A.	Spherical surface generation mechanism in the grinding of balls for ultraprecision ball bearings	351–357
Nélias, D.	Optimum initial axial compression due to preload in an arrangement of two tapered roller bearings. Part 1: analysis	125–133
Nélias, D.	Optimum initial axial compression due to preload in an arrangement of two tapered roller bearings. Part 2: application to the transfer shaft of an automobile automatic transaxle	135–146
Nikolajsen, J.	Experimental measurement of big-end bearing journal orbits	219–228
Ogata, T.	Effects of a thickener structure on grease elastohydrodynamic lubrication films	327–336
Ogrodnik, P. J.	Experimental measurement of big-end bearing journal orbits	219–228
Paffoni, B.	The mixed phase of gearbox synchromesh operation	157–165
Peng, W.	Modelling of surfaces with a biomodal roughness distribution	459–470
Pierre, I.	Influence of geometric parameters and operating conditions on the thermohydrodynamic behaviour of plain journal bearings	445–457
Placet, A.	Friction study of carbon–silicon carbide couples	485–492
Platon, F.	Tribological behaviour of carbon-fibre-reinforced SiC matrix composites	291–306
Prakash, O.	Development of polytetrafluoroethylene composite lining for a hydrogenerator thrust pad application	375–385
Progi, R.	The mixed phase of gearbox synchromesh operation	157–165
Rahnejat, H.	Prediction of oil-film thickness and shape in elliptical point contacts under combined rolling and sliding motion	427–437
Rao, G. V.	Development of polytetrafluoroethylene composite lining for a hydrogenerator thrust pad application	375–385
Reynaud, Ph.	Tribological behaviour of carbon-fibre-reinforced SiC matrix composites	291–306
Roy Chowdhury, S. K.	A fractal analysis of adhesive friction between rough solids in gentle sliding	583–595
Roylance, B. J.	Wear debris and associated wear phenomena–fundamental research and practice	79–105
Sahoo, P.	A fractal analysis of adhesive friction between rough solids in gentle sliding	583–595
Schuleit, N.	Wear behaviour and surface form evolution of a novel titanium carbide implanted surface under lubricated conditions	597–610
Sethuramiah, A.	Development of polytetrafluoroethylene composite lining for a hydrogenerator thrust pad application	375–385
Sharif, K. J.	Film thickness predictions for elastohydrodynamic elliptical contacts over a wide range of radius ratios with consideration of side starvation	63–78
Shore, K. W.	The operation of radial lip seals in contaminated environments and the significance of the test rig design	167–178
Sjöberg, M.	Lubricant properties for input to hydrodynamic and elastohydrodynamic lubrication analyses	17–27
Snidle, R. W.	Film thickness predictions for elastohydrodynamic elliptical contacts over a wide range of radius ratios with consideration of side starvation	63–78
Steinhoff, K.	Wear behaviour and surface form evolution of a novel titanium carbide implanted surface under lubricated conditions	597–610
Sytnik, S. V.	Magnetic and electron microscopy analysis of wear products of sliding tribo-conjugations	507–512
Takubo, Y.	Effects of a thickener stucture on grease elastohydrodynamic lubrication films	327–336
Tanaka, M.	Recent thermohydrodynamic analyses and designs of thick-film bearings	107–122
Taylor, R. I.	Improved fuel efficiency by lubricant design: a review	1–15
Tripp, J. H.	Amplitude reduction of waviness in elastohydrodynamic lubrication using an Eyring fluid model	343–350
Tsubouchi, K.	A study of the mechanism of crack initiation on a mandrel bar for mandrel mill rolling in a seamless tube	179–187
Tsumura, M.	A study of the mechanism of crack initiation on a mandrel bar for mandrel mill rolling in a seamless tube	179–187
Vantomme, P.	Friction study of carbon–silicon carbide couples	485–492
Venner, C. H.	Multigrid techniques: a fast and efficient method for the numerical simulation of elastohydrodynamic lubrication point contact problems	43–62
Venner, C. H.	Amplitude reduction of waviness in elastohydrodynamic lubrication using an Eyring fluid model	343–350
Venner, C. H.	Surface roughness attenuation in line and point contacts	439–444
Venner, C. H.	Kinematics of transverse real roughness in elastohydrodynamically lubricated line contacts using Fourier analysis	523–534
Veselov, I. N.	Magnetic and electron microscopy analysis of wear products of sliding tribo-conjugations	507–512

© IMechE 2000

Wikström, V.	Grease passing through an elastohydrodynamic contact under pure rolling conditions	309–316
Wikström, V.	Grease soap particles passing through an elastohydrodynamic contact under side slip conditions	317–325
Williams, J. A.	Wear debris and associated wear phenomena—fundamental research and practice	79–105
Xu, J.	Studies of failure mechanisms for head–disc interface using *in situ* instrumentation	189–199
Zadvorkin, S. M.	Magnetic and electron microscopy analysis of wear products of sliding tribo-conjugations	507–512
Zhang, B.	Spherical surface generation mechanism in the grinding of balls for ultraprecision ball bearings	351–357
Zhao, X.	Failure analysis of laser-textured surfaces	471–483
Zhao, X.	Lubrication studies of head–disk interfaces in a controlled environment. Part 1: effects of disk texture, lubricant thermal treatment and lubricant additive on the durability of the head–disk interface	535–546
Zhao, X.	Lubrication studies of head–disk interfaces in a controlled environment. Part 2: degradation mechanisms of perfluoropolyether lubricants	547–560

© IMechE 2000